

|    | Document ID             | Issue Date | Pages | Title                                                                                                        | Current OR | Current XRef        |
|----|-------------------------|------------|-------|--------------------------------------------------------------------------------------------------------------|------------|---------------------|
| 1  | US<br>20050129139<br>A1 | 20050616   | 47    | Tag tracking                                                                                                 | 375/295    |                     |
| 2  | US<br>20050100120<br>A1 | 20050512   | 24    | Wireless internet access system and method                                                                   | 375/347    | 375/267             |
| 3  | US<br>20050094740<br>A1 | 20050505   | 18    | Multiple-antenna partially coherent constellations for multi-carrier systems                                 | 375/267    |                     |
| 4  | US<br>20050031045<br>A1 | 20050210   | 19    | Methods and apparatus for synchronously combining signals from plural transmitters                           | 375/260    |                     |
| 5  | US<br>20040264585<br>A1 | 20041230   | 21    | Signal constellations for multi-carrier systems                                                              | 375/260    |                     |
| 6  | US<br>20040227622<br>A1 | 20041118   | 46    | Device and method for communicating data signals through multiple power line conductors                      | 375/258    | 375/260             |
| 7  | US<br>20040190636<br>A1 | 20040930   | 33    | System and method for wireless communication systems                                                         | 375/260    | 375/299;<br>375/346 |
| 8  | US<br>20040141548<br>A1 | 20040722   | 31    | Software adaptable high performance multicarrier transmission protocol                                       | 375/146    | 375/260             |
| 9  | US<br>20040028146<br>A1 | 20040212   | 14    | Method and apparatus for transferring multiple symbol streams at low bit-error rates in a narrowband channel | 375/260    |                     |
| 10 | US<br>20040005018<br>A1 | 20040108   | 28    | Receiver and method for WLAN burst type signals                                                              | 375/340    | 375/260             |
| 11 | US<br>20030112878<br>A1 | 20030619   | 43    | Inroute training in a two-way satellite system                                                               | 375/259    |                     |
| 12 | US<br>20020191703<br>A1 | 20021219   | 24    | Method and apparatus for utilizing channel state information in a wireless communication system              | 375/267    |                     |
| 13 | US<br>20020159537<br>A1 | 20021031   | 19    | Multipath communication methods and apparatuses                                                              | 375/267    | 375/279             |

|    | <b>Inventor</b>                  |
|----|----------------------------------|
| 1  | Jones, Aled Wynne<br>et al.      |
| 2  | Barton, Melbourne<br>et al.      |
| 3  | Borran, Mohammad<br>Jaber et al. |
| 4  | Mayor, Michael A.<br>et al.      |
| 5  | Borran, Mohammad<br>Jaber et al. |
| 6  | Giannini, Paul M. et<br>al.      |
| 7  | Oprea, Alexandru<br>M.           |
| 8  | Shattil, Steve J.                |
| 9  | Winkler, Clive                   |
| 10 | Zhu, Junjie et al.               |
| 11 | Kloper, David                    |
| 12 | Ling, Fuyun et al.               |
| 13 | Crilly, William J.<br>JR.        |

|    | Document ID       | Issue Date | Pages | Title                                                                                                    | Current OR | Current XRef                                            |
|----|-------------------|------------|-------|----------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------|
| 14 | US 20020159531 A1 | 20021031   | 8     | OFDM data demodulators synchronization                                                                   | 375/260    | 375/354                                                 |
| 15 | US 20020154705 A1 | 20021024   | 27    | High efficiency high performance communications system employing multi-carrier modulation                | 375/267    | 375/261;<br>375/298;<br>375/299                         |
| 16 | US 20020044611 A1 | 20020418   | 12    | Method of multiple-antenna wireless communication using space-time codes                                 | 375/267    |                                                         |
| 17 | US 20010021229 A1 | 20010913   | 17    | Method for matching transport channels within a composite channel, corresponding device and base station | 375/295    |                                                         |
| 18 | US 6965302 B2     | 20051115   | 38    | Power line communication system and method of using the same                                             |            | 375/259                                                 |
| 19 | US 6959052 B2     | 20051025   | 25    | Receiving apparatus, receiving method, program and information recording medium                          | 375/340    | 370/206;<br>370/212;<br>375/260                         |
| 20 | US 6952455 B1     | 20051004   | 21    | Adaptive antenna method and apparatus                                                                    | 375/267    | 375/299                                                 |
| 21 | US 6952454 B1     | 20051004   | 32    | Multiplexing of real time services and non-real time services for OFDM systems                           | 375/260    | 370/208;<br>370/480;<br>375/295;<br>375/340             |
| 22 | US 6944236 B2     | 20050913   | 10    | Method of multiple-antenna wireless communication using space-time codes                                 | 375/267    | 375/299                                                 |
| 23 | US 6937665 B1     | 20050830   | 25    | Method and apparatus for multi-user transmission                                                         | 375/260    | 370/210;<br>375/340                                     |
| 24 | US 6868112 B2     | 20050315   | 11    | Apparatus and method for detecting signals of space-time coding based on transmission diversity          | 375/147    | 370/204;<br>370/342;<br>370/470;<br>375/267;<br>375/342 |

|           | <b>Inventor</b>                     |
|-----------|-------------------------------------|
| <b>14</b> | Reagan, John et al.                 |
| <b>15</b> | Walton, Jay R. et al.               |
| <b>16</b> | Hassibi, Babak et al.               |
| <b>17</b> | Belaiche, Vincent<br>Antoine Victor |
| <b>18</b> | Mollenkopf, James<br>Douglas et al. |
| <b>19</b> | Harada, Hiroshi et<br>al.           |
| <b>20</b> | Banister, Brian                     |
| <b>21</b> | Jalali, Ahmad et al.                |
| <b>22</b> | Hassibi, Babak et al.               |
| <b>23</b> | Vandenameele;<br>Patrick            |
| <b>24</b> | Kim; Yeon-Soo et<br>al.             |

|    | Document ID      | Issue Date | Pages | Title                                                                                              | Current OR | Current XRef                                                                                                                                                      |
|----|------------------|------------|-------|----------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 25 | US 6844841<br>B1 | 20050118   | 12    | Radio frequency link performance tool process and system                                           | 342/13     | 342/16;<br>342/165;<br>342/173;<br>342/175;<br>342/195;<br>342/450;<br>375/130;<br>375/140;<br>375/146;<br>375/147;<br>375/219;<br>375/295;<br>375/316;<br>455/84 |
| 26 | US 6834043<br>B1 | 20041221   | 26    | Method and device for exploiting transmit diversity in time varying wireless communication systems | 370/310    | 370/203;<br>370/335;<br>370/342;<br>375/295;<br>375/347;<br>455/65;<br>455/69                                                                                     |
| 27 | US 6810087<br>B2 | 20041026   | 25    | Ultra-wideband communications system                                                               | 375/259    | 332/185;<br>380/33;<br>380/35                                                                                                                                     |
| 28 | US 6771706<br>B2 | 20040803   | 22    | Method and apparatus for utilizing channel state information in a wireless communication system    | 375/267    | 375/260;<br>375/296;<br>375/347;<br>375/349;<br>455/101                                                                                                           |
| 29 | US 6760387<br>B2 | 20040706   | 35    | Impulse radio receiver and method for finding angular offset of an impulse radio transmitter       | 375/267    |                                                                                                                                                                   |
| 30 | US 6510181<br>B1 | 20030121   | 14    | Method and device for transmitting information, method and device for receiving information        | 375/259    | 375/295;<br>375/316                                                                                                                                               |
| 31 | US 6493398<br>B1 | 20021210   | 47    | Burst mode digital communications system                                                           | 375/295    | 375/324                                                                                                                                                           |

|    | <b>Inventor</b>                |
|----|--------------------------------|
| 25 | Masciulli; Michael             |
| 26 | Vook; Frederick W.<br>et al.   |
| 27 | Hector; Ralph<br>Thomas et al. |
| 28 | Ling; Fuyun et al.             |
| 29 | Langford; David W.<br>et al.   |
| 30 | Piret; Philippe                |
| 31 | Erisman; David E.              |

|    | Document ID      | Issue Date | Pages | Title                                                                                                                               | Current OR | Current XRef                                                                                                                                                                                                                                                        |
|----|------------------|------------|-------|-------------------------------------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 32 | US 6487252<br>B1 | 20021126   | 12    | Wireless communication system and method for synchronization                                                                        | 375/260    | 370/320;<br>370/324;<br>370/330;<br>370/350;<br>370/481;<br>370/482;<br>370/503;<br>370/509;<br>370/513;<br>370/515;<br>375/142;<br>375/145;<br>375/149;<br>375/295;<br>375/316;<br>375/330;<br>375/342;<br>375/343;<br>375/355;<br>375/362;<br>375/364;<br>375/367 |
| 33 | US 6473467<br>B1 | 20021029   | 29    | Method and apparatus for measuring reporting channel state information in a high efficiency, high performance communications system | 375/267    | 370/208;<br>370/210;<br>375/144;<br>375/260;<br>375/299;<br>375/347                                                                                                                                                                                                 |
| 34 | US 6327310<br>B1 | 20011204   | 8     | Wireless transmission method for antenna arrays, having improved resistance to fading                                               | 375/259    | 375/267;<br>375/346;<br>375/347                                                                                                                                                                                                                                     |

|    | Inventor                     |
|----|------------------------------|
| 32 | Kleider; John Eric et al.    |
| 33 | Wallace; Mark et al.         |
| 34 | Hochwald; Bertrand M. et al. |



|    | Document ID   | Issue Date | Pages | Title                                                                                             | Current OR | Current XRef                                                                                                                                                  |
|----|---------------|------------|-------|---------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 35 | US 6317688 B1 | 20011113   | 14    | Method and apparatus for achieving sole means navigation from global navigation satellite systems | 701/213    | 244/3.1;<br>244/3.2;<br>340/990;<br>340/994;<br>342/353;<br>342/357.08;<br>342/357.14;<br>375/259;<br>375/377;<br>701/214;<br>701/215;<br>701/220;<br>701/221 |
| 36 | US 6314127 B1 | 20011106   | 18    | System and method for enhancing signal reception                                                  | 375/144    | 375/148;<br>375/267;<br>375/347;<br>375/349;<br>455/137                                                                                                       |
| 37 | US 6239741 B1 | 20010529   | 10    | UWB dual tunnel diode detector for object detection, measurement, or avoidance                    | 342/135    | 342/118;<br>342/134;<br>342/175;<br>342/195;<br>342/21;<br>342/27;<br>342/70;<br>342/89;<br>375/295;<br>375/316;<br>375/340                                   |
| 38 | US 6178207 B1 | 20010123   | 34    | Aircraft combat training signal processing system                                                 | 375/259    | 342/450;<br>375/316                                                                                                                                           |
| 39 | US 6028900 A  | 20000222   | 17    | Digital broadcast receiver                                                                        | 375/344    | 329/304;<br>375/260;<br>455/182.2                                                                                                                             |

|    | Inventor                    |
|----|-----------------------------|
| 35 | Bruckner; Juergen M. et al. |
| 36 | Lynch; Michael A. et al.    |
| 37 | Fontana; Robert J. et al.   |
| 38 | Richards; Wayne E. et al.   |
| 39 | Taura; Kenichi et al.       |

|    | Document ID  | Issue Date | Pages | Title                                                                                                         | Current OR | Current XRef                                                                                                                   |
|----|--------------|------------|-------|---------------------------------------------------------------------------------------------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------|
| 40 | US 5812598 A | 19980922   | 32    | Hearing assist system employing time variant modulation transmission to hearing aid                           | 375/259    | 381/312;<br>381/321;<br>381/94.1;<br>381/94.8                                                                                  |
| 41 | US 5708679 A | 19980113   | 26    | Hitless ultra small aperture terminal satellite communication network                                         | 375/259    | 343/700M S;<br>343/795                                                                                                         |
| 42 | US 5615229 A | 19970325   | 33    | Short range inductively coupled communication system employing time variant modulation                        | 375/259    | 381/312;<br>381/314;<br>381/79;<br>455/41.1                                                                                    |
| 43 | US 5568516 A | 19961022   | 39    | Very low power cordless headset system                                                                        | 375/259    | 375/219;<br>375/258;<br>381/163;<br>455/41.1                                                                                   |
| 44 | US 5285480 A | 19940208   | 15    | Adaptive MLSE-VA receiver for digital cellular radio                                                          | 375/348    | 370/337;<br>375/295;<br>375/341;<br>375/343;<br>708/319                                                                        |
| 45 | US 5170413 A | 19921208   | 17    | Control strategy for reuse system assignments and handoff                                                     | 375/260    | 370/332;<br>375/267;<br>375/347;<br>375/358;<br>455/59;<br>455/71                                                              |
| 46 | US 4837786 A | 19890606   | 45    | Technique for mitigating rain fading in a satellite communications system using quadrature phase shift keying | 370/206    | 370/317;<br>370/535;<br>370/538;<br>370/543;<br>370/914;<br>375/138;<br>375/260;<br>375/267;<br>375/347;<br>375/349;<br>380/34 |

|           | <b>Inventor</b>                   |
|-----------|-----------------------------------|
| <b>40</b> | Sharma; Madan M.<br>et al.        |
| <b>41</b> | Fernandes;<br>Roosevelt A. et al. |
| <b>42</b> | Sharma; Madan M.<br>et al.        |
| <b>43</b> | Strohallen; Gene M.<br>et al.     |
| <b>44</b> | Chennakeshu;<br>Sandeep et al.    |
| <b>45</b> | Hess; Garry C. et al.             |
| <b>46</b> | Gurantz; Itzhak et<br>al.         |

|    | Document ID  | Issue Date | Pages | Title                                              | Current OR | Current XRef                                                                    |
|----|--------------|------------|-------|----------------------------------------------------|------------|---------------------------------------------------------------------------------|
| 47 | US 4494238 A | 19850115   | 23    | Multiple channel data link system                  | 375/141    | 375/267;<br>455/315;<br>455/506;<br>455/59                                      |
| 48 | US 4347618 A | 19820831   | 109   | Apparatus for processing weather radar information | 375/259    | 342/26D;<br>348/442;<br>455/9;<br>702/3                                         |
| 49 | US 4153881 A | 19790508   | 13    | Early flood warning system                         | 375/242    | 327/301;<br>340/539.1;<br>340/539.2<br>6;<br>340/620;<br>375/259;<br>73/304R    |
| 50 | US 4104638 A | 19780801   | 9     | Cooperative type anti-collision radio system       | 342/455    | 340/825.6<br>9;<br>375/295;<br>455/79                                           |
| 51 | US 4066964 A | 19780103   | 43    | Communication system                               | 375/260    | 340/7.42;<br>340/7.46;<br>375/279;<br>375/373;<br>380/34;<br>455/502;<br>455/65 |

|           | <b>Inventor</b>             |
|-----------|-----------------------------|
| <b>47</b> | Groth, Jr.; Edward J.       |
| <b>48</b> | Kavouras; Stephen P. et al. |
| <b>49</b> | Permut; Alan R. et al.      |
| <b>50</b> | Middleton; Raymond R.       |
| <b>51</b> | Costanza; Samuel T. et al.  |